


Export Data Template

If you are exporting an XML, CSV or JSON file, this is where you would form this file and make the structure the way you want. We recommend you configure the template after you have mapped desired attributes, manufacturers categories etc.

Below we give some examples of how to configure XML template. But the same concepts and methods apply for generating JSON or CSV files.

If you navigate to Data export → Export profiles and click on the Edit icon in the corresponding row, a new page will open. Choose tab "Template" and you will see a "tree like" list of attributes:



The screenshot displays a user interface for configuring an XML template. At the top, there are three buttons: "Add All Mapped Attributes", "Add Group", and "Add Element". Below these buttons is a list of attributes, each with a blue edit icon and a red delete icon. The attributes are:

- sku (code: sku; label: SKU)
- name (code: name; label: Product Name)
- ean (code: ean; label: EAN)
- price (code: price; label: Price)
- stock (code: qty; label: Stock)
- media_gallery (code: media_gallery; label: Images Gallery)
- category (code: category; label: Category; mapper value: code)

Below the main list, there is a collapsed group named "attributes" (indicated by a minus sign and a code icon). When expanded, it shows a plus sign, an edit icon, and a delete icon, followed by a list of attributes:

- manufacturer (code: manufacturer; label: Manufacturer; mapper value: code)
- part_number (code: part_number; label: Part Number)
- warranty (code: warranty; label: Warranty)
- weight (code: weight; label: Weight)
- supplier (code: supplier; label: Product Supplier)

You can use mouse to drag and order elements, as well as moving them to groups. Example template above will output an XML document with the structure as follows:

```
<item>
```

```

<sku><![CDATA[011629]]></sku>
<name><![CDATA[D-Link DVG-6004S Voice Gateway with 4 Port FXO]]></name>
<ean><![CDATA[790069409981]]></ean>
<price>191.8555</price>
<stock>0</stock>
<media_gallery>
  <item>
    <filename><![CDATA[wSsykjQZgZEH.jpg]]></filename>
    <added_at><![CDATA[2019-07-08 14:31:05]]></added_at>
  </item>
</media_gallery>
<category><![CDATA[Network components / Gateways]]></category>
<attributes>
  <manufacturer></manufacturer>
  <part_number><![CDATA[DVG-6004S]]></part_number>
  <warranty>24</warranty>
  <weight><![CDATA[1.42 kg]]></weight>
  <supplier><![CDATA[acc]]></supplier>
</attributes>
</item>

```

Adding elements

You can add more elements in the template by clicking red "Add Element". A pop-up will open:

Update Element

Attribute

Weight (code: weight) ▼

Custom element/column name

product_weight

Default value

0

Cancel Update

Use search function to find desired attribute:

- Attribute - product attribute to be added in the export file
- Custom element/column name - you can override attribute code by giving it a custom name. So in this case, instead on `<weight><![CDATA[1.42 kg]]></weight>` it will be `<product_weight><![CDATA[1.42 kg]]></product_weight>`
- Default value - set a default value in case this attribute is empty. Leave this field empty if you do not want to set any default value

If you choose to add a system attribute (f.e. category, manufacturer), there will be a new field "Mapper Value".

Update Element

Attribute

Manufacturer (code: manufacturer) ▼

Custom element/column name

brand_code

Mapper Value

Code ▼

Default value

N/A

Cancel Update

Mapper value has two options:

- Code - attribute Code will be in XML file. F.e. `<brand_code><![CDATA[samsung_products]]></brand_code>`
- Label - attribute Label will be in XML file. F.e. `<brand><![CDATA[Samsung]]></brand>`

See category [product data mapping](#) section how data mapping works and how to set different attribute codes and labels.

Revision #8

Created Fri, May 1, 2020 11:30 AM by [Liudas](#)

Updated Thu, Apr 15, 2021 2:21 PM by [Vilma](#)